## **AMENDMENTS**

## **Listing of Claims**

The following listing of claims replaces all previous listings or versions thereof:

- 1. (Canceled) An isolated polynucleotide encoding a polypeptide comprising the amino sequence essentially as set forth in SEQ ID NO: 2.
- 2. (Canceled) The isolated polynucleotide of claim 1, wherein said polynucleotide comprises the nucleic acid sequence essentially as set forth in SEQ ID NO:1.
- 3. (Canceled) The polynucleotide of claim 2, wherein said polynucleotide is operatively linked to a promoter.
- 4. (Canceled) The polynucleotide of claim 3, wherein said promoter is a tissue-specific promoter.
- 5. (Canceled) The polynucleotide of claim 2, further defined as a cDNA segment.
- 6. (Canceled) The polynucleotide of claim 2, wherein said polynucleotide is comprised in a vector.
- 7. (Canceled) The polynucleotide of claim 6, wherein said vector is selected from the group consisting of a retroviral vector, an adenoviral vector, and adeno-associated viral vector, a lentivirus vector, a vaccinia viral vector, and a herpesviral vector.
- 8. (Canceled) The polynucleotide of claim 1, further comprising a pharmaceutically acceptable formulation.
- 9. (Canceled) A recombinant host cell comprising a DNA segment encoding an isolated human choline transporter.

- 10. (Canceled) The recombinant host cell of claim 9, wherein said DNA segment encoding a polypeptide having the amino acid sequence essentially as set forth in SEQ ID NO:2.
- 11. (Canceled) The recombinant host cell of claim 9, wherein said cell is a human cell.
- 12. (Canceled) A recombinant vector comprising a DNA segment encoding a human choline transporter polypeptide under the control of a promoter.
- 13. (Canceled) The recombinant vector of claim 12, wherein said vector enhances cholinergic signaling.
- 14. (Canceled) A purified and isolated polynucleotide wherein the polynucleotide comprises a sequence identical or complementary to between 14 and 100 contiguous nucleotides of SEQ ID NO:1.
- 15. (Canceled) The polynucleotide of claim 14, wherein said polynucleotide comprises least 20 contiguous nucleotides of SEQ ID NO:1.
- 16. (Canceled) The polynucleotide of claim 14, wherein said polynucleotide comprises least 30 contiguous nucleotides of SEQ ID NO:1.
- 17. (Canceled) The polynucleotide of claim 16, wherein said polynucleotide comprises least 100 contiguous nucleotides of SEQ ID NO:1.
- 18. (Canceled) The polynucleotide of claim 14, wherein said polynucleotide is complementary to at least 20 contiguous nucleotides of SEQ ID NO:1.
- 19. (Canceled) The polynucleotide of claim 14, wherein said polynucleotide is complementary to at least 30 contiguous nucleotides of SEQ ID NO:1.

`,

- 20. (Canceled) The polynucleotide of claim 19, wherein said polynucleotide is complementary to at least 50 contiguous nucleotides of SEQ ID NO:1.
- 21. (Canceled) A purified peptide comprising at least 10 contiguous amino acids of SEQ ID NO:2.
- 22. (Canceled) The peptide of claim 21, comprising at least 20 contiguous amino acids of SEQ ID NO:2.
- 23. (Canceled) The peptide of claim 21, comprising at least 50 contiguous amino acids of SEQ ID NO:2.
- 24. (Canceled) The peptide of claim 21, wherein said peptide is sensitive to hemicholinium-3.
- 25. (Canceled) The peptide of claim 21, wherein said wherein said peptide is mutated relative to the wild-type hCHT protein.
- 26. (Canceled) The peptide of claim 25, wherein said peptide modulates high-affinity choline uptake.
- 27. (Canceled) The peptide of claim 21, wherein said peptide binds to an antibody specific to the polypeptide comprising at least 10 contiguous amino acids of SEQ ID NO:2 encoded by human cDNA.
- 28. (Canceled) A method of using a DNA segment that encodes an isolated human choline transporter protein, comprising the steps of:
  - (a) preparing a recombinant vector in which a human choline transporter encoding said DNA segment is positioned under the control of a promoter;

- (b) introducing said recombinant vector into a host cell;
- (c) culturing said host cell under conditions effective to allow expression of the encoded protein or peptide; and
  - (d) collecting said expressed protein or peptide.
- 29. (Original) An isolated polynucleotide encoding a polypeptide comprising the amino sequence essentially as set forth in SEQ ID NO: 4.
- 30. (Original) The isolated polynucleotide of claim 29, wherein said polynucleotide comprises the nucleic acid sequence essentially as set forth in SEQ ID NO:3.
- 31. (Original) The polynucleotide of claim 30, wherein said polynucleotide is operatively linked to a promoter.
- 32. (Original) The polynucleotide of claim 30, further defined as a cDNA segment.
- 33. (Original) The polynucleotide of claim 30, wherein said polynucleotide is comprised in a vector.
- 34. (Original) A recombinant host cell comprising a DNA segment encoding an isolated choline transporter having the amino acid sequence essentially as set forth in SEQ ID NO:4.
- 35. (Original) A recombinant vector comprising a DNA segment encoding a mouse choline transporter polypeptide under the control of a promoter.
- 36. (Original) A purified and isolated polynucleotide wherein the polynucleotide comprises a sequence identical or complementary to between 10 and 100 contiguous nucleotides of SEQ ID NO:3.

Ŋ

- (Canceled) A purified peptide comprising at least 10 contiguous amino acids of SEQ ID NO:4.
- 38. (Canceled) The peptide of claim 37, wherein said peptide binds to an antibody specific to the polypeptide comprising at least 10 contiguous amino acids of SEQ ID NO:4 encoded by mouse cDNA.
- 39. (Canceled) An antibody that immunologically binds to a protein or peptide encoded by a contiguous sequence from the nucleic acid sequence essentially as set forth in SEQ ID NO:1.
- 40. (Canceled) An antibody that immunologically binds to a CHT protein or peptide that includes a contiguous amino acid sequence from SEQ ID NO:2.
- 41. (Canceled) The antibody of claim 40, wherein said antibody is a polyclonal antibody.
- 42. (Canceled) The antibody of claim 40, wherein said antibody is a monoclonal antibody.
- 43. (Canceled) The antibody of claim 42, wherein said antibody is operatively attached to a therapeutic agent.
- 44. (Canceled) The antibody of claim 42, wherein said antibody is operatively attached to a detectable label.
- 45. (Canceled) The antibody of claim 44, wherein said label is selected from the group consisting of a fluorescent label, a chemiluminescent label, a electroluminescent label, a radiolabel and an enzyme.
- 46. (Canceled) The antibody of claim 45, wherein said label is a green fluorescent protein.
- 47. (Canceled) The antibody of claim 45, wherein said label is a  $\beta$ -galactosidase.

- 48. (Canceled) The antibody of claim 40, wherein said antibody is adapted to detect losses in cholenergic neurons.
- 49. (Canceled) A method of screening for cholinergic therapeutics comprising:
  - (a) obtaining a candidate substance;
  - (b) obtaining a recombinant cell comprising a polynucleotide encoding a choline transporter (CHT) polypeptide and a promoter heterologous to the polypeptide coding region, wherein said promoter directs expression of said CHT polypeptide;
  - (c) combining candidate substance with said cell; and
  - (d) determining whether said candidate substance modulates high-affinity choline uptake.
- 50. (Canceled) The method of claim 49, wherein said CHT is a human choline transporter (hCHT).
- 51. (Canceled) The method of claim 49, wherein said CHT is a mouse choline transporter (mCHT).
- 52. (Canceled) The method of claim 49, wherein said cell is a human cell.
- 53. (Canceled) The method of claim 49, wherein said cell is a mouse cell.
- 54. (Canceled) The method of claim 49, wherein said cell is an invertebrate cell.
- 55. (Canceled) The method of claim 49, wherein said cell and said candidate substance are combined *in vitro*.

S

- 56. (Canceled) The method of claim 49, wherein said cell and said candidate substance are combined *in vivo*.
- 57. (Canceled) The method of claim 49, wherein said candidate substance is an acetylcholine receptor therapeutic.
- 58. (Canceled) The method of claim 49, wherein said candidate substance is selected from a small molecule library.
- 59. (Canceled) The method of claim 49, wherein said candidate substance is an antibody.
- 60. (Canceled) The method of claim 59, wherein said antibody comprises SEQ ID NO: 25
- 61. (Canceled) The method of claim 49, wherein said candidate substance is a gene probe
- 62. (Canceled) The method of claim 49, wherein said candidate substance has low affinity against hCHT.
- 63. (Canceled) The method of claim 49, wherein determining comprises detecting a label operatively attached to said polypeptide.
- 64. (Canceled) The method of claim 63, wherein said detectable label is hemicholinium-3.
- 65. (Canceled) The method of claim 49, wherein said determining comprises Western Blot analysis.
- 66. (Canceled) The method of claim 49, wherein said determining comprises using a choline transport assay.

5

- 2
- 67. (Canceled) The method of claim 66, wherein said choline transport assay is a [<sup>3</sup>H] choline transport assay.
- 68. (Canceled) The method of claim 66, wherein said choline transport assay further comprises COS-7 cells.
- 69. (Canceled) The method of claim 49, wherein determining comprises using *in situ* hybridization, PCR or gene chip analysis.
- 70. (Canceled) The method of claim 49, wherein determining comprises using a negative screen.
- 71. (Canceled) The method of claim 49, further comprising using said candidate substance to screen specificity for acetylcholine receptor-directed agents.
- 72. (Canceled) The method of claim 71, wherein said acetylcholine receptor-directed agents are nicotinic or muscarinic acetylcholine receptor-directed agents.
- 73. (Canceled) The method of claim 49, further comprising mapping mutations to the hCHT gene.
- 74. (Canceled) The method of claim 49, further comprising quantitatively evaluating cholinergic gene expression.
- 75. (Canceled) The method of claim 49, further comprising using said candidate substance to probe human cholinergic neurons.
- 76. (Canceled) The method of claim 49, further comprising using said candidate substance to identify cholinergic neurons in a postmortem brain.
- 77. (Canceled) A method of treating a patient comprising:
  - (a) obtaining a candidate substance;

- (b) obtaining a recombinant cell comprising a polynucleotide encoding a choline transporter (CHT) polypeptide and a promoter heterologous to the polypeptide coding region, wherein said promoter directs expression of said CHT polypeptide;
- (c) combining candidate substance with said cell;
- (d) determining whether said candidate substance modulates high-affinity choline uptake; and
- (e) delivering said candidate substance in a therapeutic formulation to a patient.
- 78. (Canceled) The method of claim 77, further comprising using an antibody to aid in transport of said candidate substance.
- 79. (Canceled) The method of claim 78, wherein said antibody aids in transport of said candidate substance to the brain of said patient.
- 80. (Canceled) The method of claim 78, wherein said antibody comprises SEQ ID NO: 25.
- 81. (Canceled) The method of claim 78, further comprising a probe attached to said antibody.
- 82. (Canceled) The method of claim 77, further comprising treating a neuromuscular, autonomic or central nervous system disorder of said patient.
- 83. (Canceled) The method of claim 77, further comprising treating a disease in said patient wherein said disease is Parkinson's disease, Huntington's disease, Alzheimer's, schizophrenia, dysautonomia or myasthenia gravis.
- 84. (Canceled) The method of claim 77, wherein determining comprises using *in situ* hybridization, PCR or gene chip analysis.

3

- 85. (Canceled) The method of claim 77, wherein determining comprises using a negative screen.
- 86. (Canceled) The method of claim 77, wherein said cell is contacted in vitro.
- 87. (Canceled) The method of claim 77, wherein said cell is contacted in vivo.
- 88. (Canceled) A nucleic acid detection kit comprising, in suitable container means, an isolated human choline transporter nucleic acid segment and a detection reagent.
- 89. (Canceled) The nucleic acid detection kit of claim 88, wherein the detection reagent is a detectable label that is linked to said nucleic acid segment.
- 90. (Canceled) The nucleic acid detection kit of claim 88, wherein the detection reagent is hemicholinium-3.
- 91. (Canceled) The nucleic acid detection kit of claim 88, further comprising a gene chip.
- 92. (Canceled) The nucleic acid detection kit of claim 88, further comprising an antibody.
- 93. (Canceled) A transgenic mouse, wherein said mouse lacks at least one functional mouse choline transporter (mCHT) allele.
- 94. (Canceled) The mouse of claim 93, wherein said mouse lacks two functional mCHT alleles.
- 95. (Canceled) The mouse of claim 93, wherein said mouse lacks the gene essentially as set forth in SEQ ID NO: 3.
- 96. (Canceled) A transgenic mouse, wherein the genome of said mouse comprises a choline transporter (CHT) encoding a DNA segment under the control of a heterologous promoter.
- 97. (Canceled) The mouse of claim 96, wherein said mouse expresses more CHT polypeptides when compared to a non-transgenic littermate.

3

- 98. (Canceled) A transgenic mouse, wherein at least one mouse choline transporter (mCHT) allele is operably attacted to a detectable label.
- 99. (Canceled) The mouse of claim 98, wherein said label is selected from the group consisting of a fluorescent label, a chemiluminescent label, a electroluminescent label, a radiolabel and an enzyme.
- 100. (Canceled) The mouse of claim 99, wherein said label is a green fluorescent protein.
- 101. (Canceled) The mouse of claim 99, wherein said label is a β-galactosidase.
- 102. (Canceled) A method comprising the step of delivering a polynucleotide encoding a choline transporter (CHT) polypeptide to a cell.
- 103. (Canceled) The method of claim 102, wherein said CHT polypeptide comprising the amino sequence essentially as set forth in SEQ ID NO: 2.
- 104. (Canceled) The method of claim 102, wherein said method causes an increase in cholinergic function in said cell.
- 105. (Canceled) The method of claim 104, wherein said cell is in a patient having Parkinson's disease, Huntington's disease, Alzheimer's, schizophrenia, dysautonomia or myasthenia gravis.